



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/962,421	10/31/1997	EUGENIO A. CEFALI	20720-95585	8845

7590 07/16/2003
KAREN J. MESSICK ESQ.
KOS PHARMACEUTICALS, INC.
1001 BRICKELL BAY DRIVE
25TH FLOOR
MIAMI, FL 33131

EXAMINER

SPEAR, JAMES M

ART UNIT	PAPER NUMBER
----------	--------------

1615

DATE MAILED: 07/16/2003

29

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES
PATENT AND
TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
WWW.USPTO.GOV

Paper No. 29

Karen J. Messick
Kos Pharmaceuticals, Inc.
1001 Brickell Bay Drive
25th Floor
Miami, Florida 33131

Date: July 14, 2003
Application No. 08/962,241
Filed: October 31, 1997

Subject: **INTERMEDIATE RELEASE NICOTINIC ACID
COMPOSITIONS FOR TREATING HYPERLIPIDEMIA
WHICH EXHIBIT AN IN VIVO STAR-STEPPED
ABSORPTION CURVE**

ON PETITION
37 CFR 1.48(a)

Receipt is acknowledged of the petitions filed January 16, 2003, under 37 CFR 1.48(a) for correction of inventorship. The petition has been **GRANTED**.

In view of the papers filed, it has been found that this non-provisional application, as filed, through error and without deceptive intent, improperly set forth the Inventorship, and accordingly, this application has been changed by the addition of **DAVID J. BOVA**. The application will be forwarded to the Office of Initial Patent Examination(OIPE) for issuance of a corrected filing receipt, and correction of the file jacket and PTO PALM data to reflect the inventorship as corrected.

~~THURMAN K. PAGE~~
~~SUPERVISORY PATENT EXAMINER~~
~~TECHNOLOGY CENTER 1600~~
~~THURMAN K. PAGE~~

United States Patent and Trademark Office
Technology Center 1600
SPE, ART UNIT 1615
CM1- 2B01
703-308-2927